



6 in 1[®] Multipurpose Lubricant

PRODUCT DESCRIPTION

Bel-Ray[®] 6 In 1[®] Multipurpose Lubricant is a high performance, semi-synthetic, multipurpose penetrating fluid that cleans, lubricates and preserves exceptionally well due to its unique and proprietary blend of esters and additives. 6 in 1 Multipurpose Lubricant is an Extreme Pressure and anti-wear lubricant that contains rust and corrosion inhibitors, a water displacing agent, penetration promoting additives and friction modifiers. 6 in 1 Multipurpose Lubricant is superior to any rust blaster or water displacing product on the market. Also available in aerosol.

6 in 1 Multipurpose Lubricant is not a solvent. 6 in 1 Multipurpose Lubricant is a high performance, semi-synthetic, multipurpose lubricant. The exceptional “creeping” and penetrating properties of 6 in 1 Multipurpose Lubricant makes the removal of frozen fasteners and fittings fast and easy. 6 in 1 Multipurpose Lubricant cleans, lubricates and protects. The list of potential applications is endless. 6 in 1 Multipurpose Lubricant is suitable USDA H2 service and is highly recommended for protection of electrical contacts and connections in damp environments. Will also dry wet ignition wires

PRODUCT FEATURES

- Superior penetration
- Superior lubrication
- Excellent rust and corrosion inhibiting chemistry
- User friendly

BENEFITS

- Readily loosens rusted and frozen parts
- High film strength and anti-wear maximizes component performance and life
- Displaces moisture; forms a moisture-proof barrier film; protects and preserves components from rust and corrosion
- Will not affect plastic or painted surfaces; non-toxic, easy to use aerosol spray or bulk

APPLICATIONS

- Lubrication and rust protection of chains, cables, hinges, locks, lawn equipment, hunting and fishing gear, tools, and more
- For loosening frozen parts, nuts, bolts, etc.
- For displacing moisture and protecting and preserving against corrosion in all environments

DISTRIBUTED BY:
Calumet Branded Products, LLC
1060 N Capitol Ave
Suite 6-401
Indianapolis, IN 46204
Technical Services: 317-328-5660
www.belray.com

To the best of our knowledge, the information contained herein is accurate, but is given without warranty or guarantee. We assume no liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any information or material for the use contemplated, the name in use and whether there is any infringement of patents is the sole responsibility of the user.

All trademarks are owned by one or more affiliates within the Calumet, Inc. organization, unless otherwise specified.

© 2026 Calumet, Inc.

5/27/2026

PRODUCT DATA

Typical Properties			
Property	Test Method	Bulk	Spray (Aerosol)
Viscosity @ 40°C (cSt)	ASTM D445	3.1	3.1
Flash Point, °C (°F)	ASTM D92	98 (208)	98 (208)
Pour Point, °C (°F)	ASTM D97	-58 (-72)	-58 (-72)
Rust Prevention	ASTM D665A&B	PASS	PASS
4-Ball Wear Test, @ 1200 rpm, 40 kgf, 60 min, 75°C Scar Diameter (mm)	ASTM D4172	0.42	0.42
Falex Pin & Vee Block Test Method B, non seizure load (lbf)	ASTM D3233	1,000	1,000
Dielectric Strength, kV	ASTM D877	32	32
Propellant Type		--	CO ₂

HEALTH and SAFETY

Health and safety recommendations for products can be found on the Safety Data Sheet (SDS) at www.belray.com