



No-Tox[®] Food Grade White Grease Spray

PRODUCT DESCRIPTION

Bel-Ray[®] No-Tox[®] Food Grade White Grease Spray is a premier, convenient-to-use, lubricating grease in an aerosol. No-Tox Food Grade White Grease Spray is fortified with low friction lubricating solids, anti-wear additives and rust inhibitors and is designed to give the optimum equipment and operational protection to the machinery found in the “clean” industries such as food, beverage, pharmaceutical, and personal care products.

No-Tox Food Grade White Grease Spray, formulated with the highest quality ingredients, meets NSF H1 and FDA requirements for materials that may have incidental contact with food as defined under Title 21 CFR 178.3570. It is Kosher and Pareve approved, Halal certified, and ISO 21469 certified.



Nonfood Compounds
H1 Registered,
ISO 21469 Certified

PRODUCT FEATURES and BENEFITS

- NSF H1 registered and ISO 21469 certified
- Kosher and Pareve approved
- Halal certified
- Bacteriological protection effectively inhibits the growth of certain bacteria, yeast, and mold in the lubricant.
- Enhanced anti-wear properties reduces friction and wear
- Superior rust and corrosion prevention
- Longer re-lubrication cycles
- Virtually waterproof

APPLICATIONS

Bel-Ray No-Tox Food Grade White Grease Spray is recommended for applications where excellent cling and adherence properties are required that resist the wiping/squeezing action of gears, cams, ways, and sleeve bearings.

DISTRIBUTED BY:
Calumet Branded Products, LLC
1060 N Capitol Ave
Suite 6-401
Indianapolis, IN 46204
Technical Services: 317-328-5660
www.belray.com

To the best of our knowledge, the information contained herein is accurate, but is given without warranty or guarantee. We assume no liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any information or material for the use contemplated, the name in use and whether there is any infringement of patents is the sole responsibility of the user.

All trademarks are owned by one or more affiliates within the Calumet, Inc. organization, unless otherwise specified.

© 2026 Calumet, Inc.

4/30/2026



PRODUCT DATA

Typical Properties		
Property	Test Method	NLGI Grade 2
Thickener Type		Aluminum Complex
Worked Penetration @ 25°C, 60 strokes (0.1 mm)	ASTM D217	280
Base Fluid Viscosity @ 40°C (cSt)	ASTM D445	208
Base Fluid Viscosity @ 100°C (cSt)	ASTM D445	18.5
Water Washout @79°C (175°F), % loss	ASTM D1264	2.5
4-Ball EP Test, Weld Load (kgf)	ASTM D2596	200.0
Corrosion Preventive Properties	ASTM D1743	Pass
Lubricating Solids Type		PTFE & ZnO
Color		White

HEALTH and SAFETY

Health and safety recommendations for products can be found on the Safety Data Sheet (SDS) at www.belray.com

Caution: Use in a well-ventilated space. Product is flammable and should be used with appropriate caution. Do not spray on a hot surface or in proximity to flames or open fire. Do not puncture or incinerate container, even when empty. Always wear safety glasses when using this product. Keep container away from heat.

Use in the manufacturing process only. For food plants and other industrial uses. Avoid direct addition to food during use of product. Use as recommended by a company representative. Use with minimum application necessary to accomplish desired technical effect. Remove excess with clean cloth.

DISTRIBUTED BY:
 Calumet Branded Products, LLC
 1060 N Capitol Ave
 Suite 6-401
 Indianapolis, IN 46204
 Technical Services: 317-328-5660
www.belray.com

To the best of our knowledge, the information contained herein is accurate, but is given without warranty or guarantee. We assume no liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of the suitability of any information or material for the use contemplated, the name in use and whether there is any infringement of patents is the sole responsibility of the user.

All trademarks are owned by one or more affiliates within the Calumet, Inc. organization, unless otherwise specified.

© 2026 Calumet, Inc.

4/30/2026